

New SDS™ for Reliance®, Saltwater Series II,™ and HS4 Propellers





**EFFECTIVE
DECEMBER 5, 2016**

Improved Shift Dampener System Means Greater Convenience for Owners of F150 through F300!

Now, the no-clunk Yamaha-exclusive technology just got better thanks to an all-new hub design that needs no special washer for operation. Same great effect now with simpler operation and installation.

	BUSHING	DAMPENER	SPACER*
NEW SDS			
Current SDS			

*All Yamaha F150-F300 outboards manufactured after 1/1/17 will have the standard round spacer.



New SDS™ for Reliance®, Saltwater Series II™, and HS4 Propellers

SALTWATER SERIES II SDS

Suitable for use with Yamaha F200 through F300 V6 outboards

- Large blade area and progressive rake angle provide great acceleration with excellent load-carrying capacity for large boats
- Specially designed for outstanding fuel economy on large boats, particularly at mid-range throttle
- Exclusive SDS technology means super-quiet shifting and smooth, low-speed operation
- No special tools or hardware required for operation. Just bolt it on and go
- Available in RH and LH rotation in 13", 15" and single-inch pitches between 17-23", and 16" RH rotation

RELIANCE SERIES SDS

Best for use with Yamaha inline four-cylinder outboards, F150 through F200

- Specifically designed for large four-stroke, four-cylinder outboards such as F150, F175, and F200 (2.8L)
- Consistently chosen as the top performing propeller for these Yamaha outboards
- Exclusive SDS technology means super-quiet shifting and smooth, low-speed operation
- No special tools or hardware required for operation. Just bolt it on and go
- Available in multiple pitches and rotations for maximum suitability and performance

SALTWATER SERIES HS4 SDS

Four-blade propellers suitable for use with 200-hp to 300-hp V6 four-stroke outboards

- High-performance V6 four blade
- Added grip in turns and higher mounting heights
- Improved acceleration and low-rpm planing over three-blade props
- Exclusive SDS technology means super smooth and quiet, with no special hardware to install
- Available in 21", 22", and 23" pitches, RH and LH rotation

Please note the newest versions of the Reliance, Saltwater Series II, and HS4 propellers with SDS now have "-20" part number extensions.

New SDS™ for Reliance®, Saltwater Series II™, and HS4 Propellers

Saltwater Series II SDS Gear Case Size: 4.75" (Yamaha "M/T")

Diameter	Pitch	# of Blades	Rotation	Material	Yamaha Part #	Availability
15 ¾	13	3	RH	SS	6CE-45930-20-00	February 2017*
15 ¾	13	3	LH	SS	6CF-45930-20-00	February 2017*
15 ¾	15	3	RH	SS	6CE-45976-20-00	February 2017*
15 ¾	15	3	LH	SS	6CF-45976-20-00	February 2017*
15 ½	16	3	RH	SS	6CE-45938-20-00	February 2017*
15 ½	17	3	RH	SS	6CE-45978-20-00	February 2017*
15 ½	17	3	LH	SS	6CF-45978-20-00	February 2017*
15 ¼	18	3	RH	SS	6CE-45934-20-00	February 2017*
15 ¼	18	3	LH	SS	6CF-45934-20-00	February 2017*
15 ¼	19	3	RH	SS	6CE-45970-20-00	February 2017*
15 ¼	19	3	LH	SS	6CF-45970-20-00	February 2017*
15	20	3	RH	SS	6CE-45932-20-00	February 2017*
15	20	3	LH	SS	6CF-45932-20-00	February 2017*
15	21	3	RH	SS	6CE-45972-20-00	February 2017*
15	21	3	LH	SS	6CF-45972-20-00	February 2017*
14 ¾	22	3	RH	SS	6CE-45936-20-00	February 2017*
14 ¾	22	3	LH	SS	6CF-45936-20-00	February 2017*
14 ¾	23	3	RH	SS	6CE-45974-20-00	February 2017*
14 ¾	23	3	LH	SS	6CF-45974-20-00	February 2017*

Reliance Gear Case Size: 4.75" (Yamaha "M/T")

Diameter	Pitch	# of Blades	Rotation	Material	Yamaha Part #	Availability
14 ½	13	3	RH	SS	68F-45932-20-00	February 2017*
14 ½	14	3	RH	SS	68F-45930-20-00	February 2017*
14 ½	14	3	LH	SS	68G-45930-20-00	February 2017*
14 ½	15	3	RH	SS	68F-45970-20-00	February 2017*
14 ½	15	3	LH	SS	68G-45970-20-00	February 2017*
14 ¼	17	3	RH	SS	68F-45972-20-00	February 2017*
14 ¼	17	3	LH	SS	68G-45972-20-00	February 2017*
14 ¼	18	3	RH	SS	68F-45978-20-00	February 2017*
14 ¼	18	3	LH	SS	68G-45978-20-00	February 2017*
13 ¾	19	3	RH	SS	68F-45974-20-00	February 2017*
13 ¾	19	3	LH	SS	68G-45974-20-00	February 2017*
13 ¾	21	3	RH	SS	68F-45976-20-00	February 2017*
13 ¾	21	3	LH	SS	68G-45976-20-00	February 2017*

*Anticipated availability date. Subject to change without notice.

New SDS™ for Reliance®, Saltwater Series II™, and HS4 Propellers

Saltwater Series HS4 SDS Gear Case Size: 4.75” (Yamaha “M/T”)

Diameter	Pitch	# of Blades	Rotation	Material	Yamaha Part #	Availability
15	21	4	RH	SS	6CE-45B70-20-00	February 2017*
15	21	4	LH	SS	6CF-45B70-20-00	February 2017*
15	22	4	RH	SS	6CE-45B72-20-00	February 2017*
15	22	4	LH	SS	6CF-45B72-20-00	February 2017*
15	23	4	RH	SS	6CE-45B74-20-00	February 2017*
15	23	4	LH	SS	6CF-45B74-20-00	February 2017*

*Anticipated availability date. Subject to change without notice.

REMEMBER to always observe all applicable boating laws. Never drink and drive. Dress properly with CCG-approved personal floatation device and protective gear. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any reference to other companies or their products are for identification purposes only, and are not intended to be an endorsement. Due to Yamaha's ongoing commitment to product improvement, we reserve the right to change without notice, equipment, materials, specifications or prices. The information and data contained herein is approximate and subject to many factor and variables, including but not limited to atmospheric, water and equipment conditions and operator ability. Therefore, such information and data is provided as a guideline only. © 2017 Yamaha Motor Canada Ltd. All rights reserved.